

SAFETY DATA SHEET

Page 1 of 10

POTASSIUM PERMANGANATE

SECTION 1: IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING 1.1 Identification of the product

Product Name Potassium Permanganate

CAS-No. 7722-64-7 EC No. 231-760-3

1.2 Uses of the substance

Water Treatment, Disinfectant, Industrial Use, Intermediates and as an oxidant in several other applications.

1.3 Company /undertaking identification

Manufacturer/Supplier

MAGNESIA CHEMICALS LLP

81/A, Parhar Village Road, A/P: Koregaon (Lonand) Tal: Phaltan, Dist. Satara – 415523, Maharashtra, India.

Tel : +91-7558428995

Email: info@magnesiachemicals.com Website: www.magnesiachemicals.com

1.4 Emergency contact

Magnesia Chemicals LLP Tel: +91-7558428995

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical Hazards

Oxidising Solids Category 2

Health Hazards

Acute toxicity, Oral Category 4
Skin corrosion/irritation Category 1B

Specific target organ toxicity, single exposure Category 1 (Respiratory System)

Specific target organ toxicity, repeated exposure Category 1 (Respiratory System, Central Nervous System)

Environmental Hazards

Acute aquatic toxicity Category 1
Chronic aquatic toxicity Category 1

Product may cause long term adverse effects in aquatic environment. Very toxic to aquatic life.

OSHA defined hazards

Not classified



SAFETY DATA SHEET

Page 2 of 10

POTASSIUM PERMANGANATE

2.2 Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms











Signal word

H410

Danger

Hazard Statements

H272 May intensify fire; oxidizer H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H370 Causes damage to organs

H372 Causes damage to organs through prolonged or repeated exposure.

Very toxic to aquatic life with long lasting effects

Precautionary Statements

P102 Keep out of reach of children.

P220 Keep/store away from clothing/combustible materials.
P264 Wash hands and face thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P303+P361+P353 If on skin (or hair): Remove/take off immediately a

contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several m

Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice / attention if you feel unwell.

P501 Dispose of contents / container to hazardous or special waste

collection point.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance related information

Chemical name Potassium permanganate Trade name Potassium permanganate

Synonyms Permanganate of potash, Condy's Crystals, Potassium

Permanganate



SAFETY DATA SHEET

Page 3 of 10

POTASSIUM PERMANGANATE

Molecular formula KMnO₄ Molecular weight 158.0339 CAS No. 7722-64-7 EC No (EINECS/ELINCS) 231-760-3 025-002-00-9 EU INDEX No. International Chemical Safety Cards (ICSC) 0672 4070 ZVG-No. RTECS-No. SD6475000

SECTION 4: FIRST AID MEASURES

4.1 Measures

In case of eye contact – Rinse immediately with plenty of water for at least 20 minutes and seek medical attention.

Note to physician: Soluble content of decomposed product is alkaline in nature. Insoluble brown-colour stain is manganese dioxide.

In case of skin contact- Flush with large amounts of water before removing contaminated clothing. If irritation persists, get medical attention. Wash contaminated clothing before reuse.

In case of inhalation – If symptoms are experienced, remove source of contamination or move victim to fresh air. If breathing has stopped, resuscitate and administer oxygen if readily available. Seek medical attention immediately.

In case of ingestion - Get medical attention or advice. Give several glasses of water or milk. Do not induce vomiting. Never give anything by mouth to a victim who is unconscious or is having convulsions.

4.2 Potential health effects & symptoms

Eyes – May cause severe eye injury. Contact can produce hardened, ulcer-like injury on eye. Conjunctivitis and bleeding may occur. In extreme cases, cloudiness or discoloration of the cornea may occur.

Skin – Product acts as a highly corrosive agent to the skin. Contact may produce burns and/or tissue necrosis.

Inhalation – May irritate nose, throat and respiratory tract. In severe cases, pulmonary edema may occur that could potentially lead to death. Other symptoms could include sore throat, coughing, shortness of breath and difficult breathing.

Ingestion – May irritate mouth and throat. Fatal oral dose is estimated at 10 grams. Death may occur up to one month from the time of poisoning. Symptoms may include nausea, vomiting, stridor, slow pulse and decreased blood pressure.



SAFETY DATA SHEET

Page 4 of 10

POTASSIUM PERMANGANATE

4.3 Treatment

Get medical attention promptly.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use large quantities of water.

5.2 Special hazards arising from the substance or mixture

Potassium oxides, Manganese/manganese oxides

5.3 Fire fighting equipments/instructions

Wear full protective clothing and self-contained breathing apparatus.

5.4 Unusual fire and explosion hazards

Powerful oxidizing product. May explode when heated or when exposed to flames or sparks. Increases burning rate of combustible substances.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions

Wear personal protection equipments. Contain the discharged material avoiding generation and spreading of dust. Ensure adequate ventilation. Do Not smoke. Do Not open fire or other sources of ignition.

6.2 Environmental Precautions

In case of accidental release into the environment, keep the product away from drains, sewers, ground water and soil.

6.3 Cleanup Procedures

Sweep or shovel the spilled material into covered containers. Do not absorb in saw dust or other combustible absorbents.

6.4 Additional Information

Refer section 13 for waste disposal.

SECTION 7: HANDLING & STORAGE

7.1 Precautions for safe handling

Wear personal protective equipment. Avoid spilling, skin & eye contact. Wash thoroughly with water after handling. Remove clothing if it becomes contaminated. Provide adequate ventilation to maintain exposure below TLV/TWA limits.



SAFETY DATA SHEET

Page 5 of 10

POTASSIUM PERMANGANATE

7.2 Recommended storage methods

Keep the material in a cool and dry place, tightly closed, away from food, drink and animal feed. Do not store this material in open or unlabeled containers. Keep apart from acids, formaldehydes, peroxides and all combustible organic or easily oxidizable products including antifreeze and hydraulic fluid.

7.3 Specific end uses

Water Treatment, Industrial Use, Intermediates and as an oxidant for various other applications.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control Parameters

Product Name STD TWA – 8 hrs STEL – 15 min Remarks

Potassium Permanganate WEL 0.5 mg/m3

*WEL: Workplace Exposure Limit

8.2 Engineering control

Use mechanical ventilation such as dilution and local exhaust. Use a corrosion-resistant ventilation system and exhaust directly to the outside. Supply ample air replacement. Provide dust collectors with explosion vents

8.3 Personal protective equipment

Eye/Face: Wear chemical safety goggles and face shield

Skin: Wear impervious gloves, boots and coveralls to avoid skin contact.

Respiratory: For dust use approved dust mask. For higher exposures, use air respirator with a full face

piece operative in the positive pressure mode.

General: Have an eyewash fountain and safety shower available in the work area.

8.4 Environmental exposure controls

In case of handling bulk material, take adequate precautions to avoid accidental release to water courses.

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

9.1 Properties

Appearance : Dark purple Crystals

: Solid Physical state Odour : Odourless Odour threshold : Not applicable pH of the substance : Not applicable Flash Point : Not Flammable Flammable Limits : Not Flammable Vapour pressure : Not applicable Vapour density : Not applicable **Evaporation Rate** : Not applicable Auto ignition temperature : Not flammable



SAFETY DATA SHEET

Page 6 of 10

POTASSIUM PERMANGANATE

Boiling Point : Not applicable

Melting Point : Decomposes without melting around 240 Deg C

Decomposition temperature : Decomposes at 240 Deg C Solubility (in water) : 6.4 g/100 ml at 20 Deg C

Viscosity : Not applicable
Partition Coefficient : Not applicable
Specific gravity : 2.7 g/cc at 20 Deg C

Molecular weight : 158.04

Auto flammability : Not pyrophoric Oxidizing Properties : Oxidizing solid.

The substance itself does not burn, but in contact with combustible substances, it increases the risk of fire and can fuel any existing fire

substantially.

9.2 Other information

The data provided in this section is to be used for product safety and handling purposes. Please refer to Product Data Sheets, Certificates of Conformity or Certificates of Analysis for chemical and physical data for determinations of quality and for formulation purposes.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Material is stable in air and light under normal conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Avoid heat, flames and other source of ignition as this could result in violent exothermic chemical reaction.

10.5 Incompatible materials

Organic materials, reducing materials, strong acids, alkali metals, peroxides, and all combustible organic and readily oxidizable inorganic materials.

10.6 Hazardous Decomposition products

Upon heating, oxygen is released which increases potential of fire. Thermal decomposition products include potassium oxides and oxides of manganese.

10.7 Additional information

Material is not known to polymerize.



SAFETY DATA SHEET

Page 7 of 10

POTASSIUM PERMANGANATE

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Toxicokinetics, metabolism and distribution

Derived No Effect Level (DNEL) dermal toxicity for workers: 1.25 mg/kg bw/day

Predicted No Effect Concentration (PNEC) for Potassium permanganate in aquatic environment is 0.06 mg/L. Predicted No Effect Concentration for Potassium permanganate in sewage treatment plant is 1.64 mg/L.

11.2 Acute toxicity

Ingestion:

LD50 oral Rat: 780 mg/kg male (14 days); 525 mg/kg female (14 days) Harmful if swallowed. ALD: 10 g. Ingestion may cause nausea, vomiting, sore throat, stomach ache and eventually lead to a perforation of the intestine. Injuries to liver and kidney may occur.

Contact with skin:

Dermal Exposure for workesrs: 0.37 mg/kg/day, Dermal Risk Characterization Ratio: 0.10

LD50 dermal: No data available

The product may get absorbed into the body through skin. Major effects of exposure: Severe irritation, brown stain on

skin Inhalation:

Inhalation Exposure for workers: 0.002 mg/m3, Inhalation Risk Characterization Ratio: 0.002

LC50 inhalation: No data available

The product may be absorbed into the body by inhalation. Major effects of exposure: Cough, respiratory disorder.

11.3 CMR effects (carcenogenity, mutagenicity and toxicity for reproduction)

IARC : Not listed

NTP Biennial Report on Carcinogens : Not listed

OSHA carcinogen : Not listed

11.4 Phototoxicity

No acute phototoxic potential –in-vivo phototoxicity unlikely.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Harmful to aquatic life in very low concentrations.

12.2 Toxicity

LC50, 96 hrs, Fish mg/I 0.47

12.3 Persistence and degradability

Product not readily biodegradable as it is an inorganic substance.



SAFETY DATA SHEET

Page 8 of 10

POTASSIUM PERMANGANATE

12.4 Bioaccumulative potential

Based on available data on decomposition and bio accumulation potential, environmental damage is unlikely.

12.5 Mobility in soil

No information is available.

12.6 Result of PBT and vPvB assessment

The substance does not meet the criteria for classification on PBT or vPvB.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATION

13.1 Appropriate disposal

Dispose of waste and residues in accordance with applicable local, state and federal requirements

13.2 List of proposed waste codes/waste designations in accordance with EWC

Waste codes product: 16 09 01 permanganates Waste codes packing: -

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: TRANSPORT INFORMATION

Product : Potassium Permanganate

UN-No. : 1490
Hazard Identification No. : 50
ADR/RID/AND/IMDG/ICAO Class : 5.1
Classification Code : O2
Packing group (ADR/RID/AND/IMDG/ICAO) : II

Hazard Class : Oxidizer

Proper shipping name : Potassium Permanganate

SECTION 15: REGULATORY INFORMATION

Markings according to EU guidelines

The product has been classified and marked in accordance with EU directives/ordinances on hazardous materials.

Chemical NameCAS No.EINECSUN NumberPotassium Permanganate7722-64-7231-760-3UN 1490



SAFETY DATA SHEET

Page 9 of 10

POTASSIUM PERMANGANATE

15.1 Classification according to Regulation (EC) No 1272/2008 [CLP] **Hazard Pictograms**











Signal Word

Danger

Hazard Statements

H272	May intensify fire; oxidizer
H302	Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H370 Causes damage to organs

H372 Causes damage to organs through prolonged or repeated

exposure.

Very toxic to aquatic life with long lasting effects H410

Precautionary Statements

P102 Keep out of reach of children.

P220 Keep/store away from clothing/combustible materials. Wash hands and face thoroughly after handling. P264 Do not eat, drink or smoke when using this product. P270

P273 Avoid release to the environment.

P303+P361+P353 If on skin (or hair): Remove/take off immediately a

contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several m P305+P351+P338 Remove contact lenses, if present and easy to do.

Continue rinsing.

P314 Get medical advice / attention if you feel unwell. P501

Dispose of contents / container to hazardous or special

waste collection point.

US Federal Regulations

Chemical Inventory Status

Ingredient	CAS No.	TSCA	EC
Potassium Permanganate	7722-64-7	Yes	Yes



SAFETY DATA SHEET

Page 10 of 10

POTASSIUM PERMANGANATE

Federal, State & International Regulations

Ingredient CAS No. PotassiumCERICARCRATSCA 8(d)Permanganate 7722-64-7Yes (RQ=100 lbs)D001No

15.2 Chemical Safety Assessment

No Data Available

SECTION 16: OTHER INFORMATION

Risk management measures related to human health:

Avoid contact with eyes.

Avoid contact with skin.

Do not breath dust.

Use good ventilation or fume cupboard.

Use protective goggles.

Use Protective gloves against corrosives.

Use dust or gas filter mask.

In case of spraying water solution use gas mask.

Risk management measures related to the Environment:

Avoid release to the environment - water.

Do not mix with acids and organic compounds.

Respect good hygiene and housekeeping.

Training Instruction:

Make sure that employees handling the product are aware of hazard risk.

Data Sources:

Data arise from literature

DISCLAIMER:

All information, suggestions and recommendations contained herein regarding this product are based on data obtained from recognized technical sources and literature. Magnesia Chemicals LLP makes no warranty, expressed or implied as to its accuracy or completeness, and none is made as to the use of this product by others which are beyond our control. It is the user's responsibility to determine the safety, toxicity and suitability for their application and use, handling and disposal of the product. The information in this SDS is related only to the product designated herein and is not related to the use in combination, mixture and process or otherwise with any other product.

Effective date: 01/08/2018 Last Updated: 01/08/2018 Version: MCL/002/18-19